

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9	(automatic near6 configur\$5) with (MDI or MDI-x)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 09:40
L2	2	(switch\$4 near6 ((sens\$4 or detect\$4)near6 (configuration adj4 (second or other or connect\$4))))same (automatic near6 configur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 09:54
L3	0	(switch\$4 near6 ((sens\$4 or detect\$4)near6 (configuration adj4 (second or other or connect\$4))))same (adjust\$4 near6 configur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 09:55
L4	14	((sens\$4 or detect\$4)near6 (configuration adj4 (second or other or connect\$4))))same (adjust\$4 near6 configur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 10:03
L5	0	((sens\$4 or detect\$4)near6 (connection near3 configuration)) with (second or other or network))same (adjust\$4 near6 (connectin near3 configur\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 10:05
L6	82	((sens\$4 or detect\$4)near6 (connection near3 configuration)) with (second or other or network))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 10:10
L7	11	l6 same ((chang\$4 or adjust\$4 or sett\$3 or configur\$4)with (first or host or client))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 10:07
L8	13	l6 same ((chang\$4 or adjust\$4 or sett\$3 or configur\$4 or switch\$4)with (first or host or client))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 10:08

L9	50	I6 with network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 10:20
L10	16825	((multiple or two or plural\$4 or first or one)adj2 device)near4 (networked or connect\$4))with (other or second)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 10:24
L11	0	I10 and (((sens\$4 or detect\$4) near3 (connection adj2 configuration))with (second or other))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 10:26
L12	2	I10 and (((sens\$4 or detect\$4) near3 (connection adj2 configuration)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 10:27
L13	0	((sens\$4 or detect\$4) near3 (connection adj2 configuration))with ((second or other)adj2 (apparatus or device)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 10:29
L14	0	((sens\$4 or detect\$4 or recogniz\$4) near3 (connection adj2 configuration))with ((second or other)adj2 (apparatus or device)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 10:34
L15	18	(( (connection adj2 configuration))with ((second or other)adj2 (apparatus or device)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 10:37
S1	16	((physical near2 layer)near3 (apparatus or device))with ((energy or power)near3 (sav\$4 or conserv\$5 or optimiz\$5 or reduc\$5 or minimiz\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:32

S2	0	S1 and (autonegotiat\$4 with sens\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 09:29
S3	1	S1 and (autonegotiat\$4 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 08:29
S4	83801	"370"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:31
S5	2479	((physical near2 layer)near3 (apparatus or device))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 08:25
S6	885	S4 and((physical near2 layer)near3 (apparatus or device))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 08:25
S7	109	S6 and ((energy or power)near3 (sav\$4 or conserv\$5 or optimiz\$5 or reduc\$5 or minimiz\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 08:25
S8	351	S5 and ((energy or power)near3 (sav\$4 or conserv\$5 or optimiz\$5 or reduc\$5 or minimiz\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 09:30
S9	28	S7 and ((sens\$4 or detect\$5)with (limit or threshold))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 08:27

S10	29	S7 and ((sens\$4 or detect\$5 or connect\$4)with (limit or threshold))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 08:38
S11	80	S8 and ((sens\$4 or detect\$5 or connect\$4)with (limit or threshold))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 08:28
S12	0	S10 and (autonegotiat\$4 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 08:29
S13	0	S11 and (autonegotiat\$4 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 08:30
S14	2	S11 and (autonegotiat\$4 or (IEEE near2 "802"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 09:42
S15	0	S10 and (autonegotiat\$4 or (IEEE near2 "802"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 08:30
S16	23	S10 and (negotiat\$4 or (IEEE near2 "802"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 08:31
S17	44	S11 and (negotiat\$4 or (IEEE near2 "802"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 08:30

S18	23	S16 and (timer or counter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 08:32
S19	42	S17 and (timer or counter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 08:32
S20	29	((physical near2 layer)near3 (apparatus or device))same ((energy or power)near3 (sav\$4 or conserv\$5 or optimiz\$5 or reduc\$5 or minimiz\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 09:37
S21	24780	"713"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 08:39
S22	9	S21 and ( ((energy or power)near3 (sav\$4 or conserv\$5 or optimiz\$5 or reduc\$5 or minimiz\$5))same(physical near2 layer)near3 (apparatus or device))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 08:45
S23	29	S21 and ( ((energy or power)near3 (sav\$4 or conserv\$5 or optimiz\$5 or reduc\$5 or minimiz\$5))and(physical near2 layer)near3 (apparatus or device))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 08:45
S24	0	S5 and (((energy or power\$3 or turn\$4 or switch\$4)near3 (down or off ))same ((connection or activit\$3 or communicat\$4)with ((predetermined or predefined or preset or preselectec)near3(threshold or period or time or duration))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 09:35
S25	2066	((energy or power\$3 or supply or voltage)near3 (turn\$4 or switch\$4 or down or off ))same ((connection or activit\$3 or communicat\$4)with ((predetermined or predefined or preset or preselected)near3(threshold or period or time or duration))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 09:55

S26	0	S25 and ((physical near2 layer)near3 (apparatus or device))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 09:38
S27	0	S25 and (((physical near2 layer)or phy)near3 (apparatus or device))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 09:39
S28	3716	(((physical near2 layer)or phy)near3 (apparatus or device))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 09:39
S29	716	S28 and (((energy or power\$3 or supply or voltage)near3 (turn\$4 or switch\$4 or down or off )))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 09:39
S30	244	S28 and (((energy or power\$3 or supply or voltage)near3 (turn\$4 or switch\$4 or down or off )))same (connecti\$3 or communicat\$4 or activit\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 09:44
S31	146	S30 and ((sens\$4 or detect\$4)near3 (circuit or device))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 09:43
S32	1	S31 and (autonegotiat\$4 or (IEEE near2 "802"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 09:43
S33	982	S28 and ((sens\$4 or detect\$4)near3 (circuit or device))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 09:43

S34	101	S28 and (autonegotiat\$4 or (IEEE near2 "802"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:45
S35	42	S33 and S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 09:51
S36	1	S35 and (((energy or power\$3 or supply or voltage)near3 (turn\$4 or switch\$4 or down or off )))same (connecti\$3 or communicat\$4 or activit\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 09:44
S37	10	S35 and (((energy or power\$3 or supply or voltage)near3 (turn\$4 or switch\$4 or down or off ))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 09:45
S38	2	"6442142".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 10:25
S39	63	((select\$5 or adapt\$5)near4 (provid\$3 or suppl\$4 or de\$power\$4 or power\$4))near6 ((phy or physical)near3 (device or apparatus))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 10:28
S40	9	S39 same ((acitivit\$3 or communicat\$4 or active or idle or hung or hang)near4 (detect\$4 or sens\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 10:30
S41	3	S39 same ((acitivit\$3 or communicat\$4 or active or idle or hung or hang)with (period or time or duration))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 10:32



S42	9	S39 same ((predetermin\$4 or predefin\$4 or preselected or first )with (period or time or duration))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:19
S43	0	S39 and ((fail\$4 or fault or interrupt\$4 or hung or hang)with autonegotiat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 10:35
S44	8	("6026494" "5884041" "5742833" "5404544").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:21
S45	8	("5442142" "5169475" "5922052" "5622178" 2004/0066301).pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:21
S46	4	("5442142" "5169475" "5922052" "5622178" 2004/0066301).pn.	US-PGPUB; USPAT	OR	ON	2005/04/28 13:22
S47	4	("6026494" "5884041" "5742833" "5404544").pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/28 13:22
S48	4	("6442142" "5169475" "5922052" "5622178" 2004/0066301).pn.	US-PGPUB; USPAT	OR	ON	2005/04/28 13:24
S49	4	("6442142" "6169475" "5922052" "6622178" 2004/0066301).pn.	US-PGPUB; USPAT	OR	ON	2005/04/28 13:24
S50	35938	"709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:31
S51	0	"395"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:31
S52	4	S50 and (((physical near2 layer)near3 (apparatus or device))same ((energy or power)near3 (sav\$4 or conserv\$5 or optimiz\$5 or reduc\$5 or minimiz\$5)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:33



S53	34	S50 and (((physical near2 layer)near3 (apparatus or device))and ((energy or power)near3 (sav\$4 or conserv\$5 or optimiz\$5 or reduc\$5 or minimiz\$5))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:44
S54	351	(((physical near2 layer)near3 (apparatus or device))and ((energy or power)near3 (sav\$4 or conserv\$5 or optimiz\$5 or reduc\$5 or minimiz\$5))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:54
S55	21	S54 and (autonegotiat\$4 or (IEEE near2 "802"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:55
S56	1055	(((physical near2 layer or ethernet)near3 (transceiver or apparatus or device))and ((energy or power)near3 (sav\$4 or conserv\$5 or optimiz\$5 or reduc\$5 or minimiz\$5))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 14:11
S57	61	S56 and (autonegotiat\$4 or (IEEE near2 "802"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 14:13
S58	9	S57 and ((detect\$4 or sens\$4)near6 (activit\$3 or communication))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:56
S59	25	S54 and (reset\$4 near6 (sens\$4 or detect\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 14:12
S60	2	S59 and (autonegotiat\$4 or (IEEE near2 "802"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 14:01

S61	23	cupertino.inv.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 14:02
S62	0	S61 and ((energy or power)near3 sav\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 14:02
S63	1	S61 and william	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 14:02
S64	1055	(((((physical near2 layer) or ethernet)near3 (transceiver or apparatus or device))and ((energy or power)near3 (sav\$4 or conserv\$5 or optimiz\$5 or reduc\$5 or minimiz\$5))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 14:12
S65	45	(((((physical near2 layer) or ethernet)near3 (transceiver or apparatus or device))with ((energy or power)near3 (sav\$4 or conserv\$5 or optimiz\$5 or reduc\$5 or minimiz\$5))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 14:42
S66	80	S64 and (reset\$4 near6 (sens\$4 or detect\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 14:12
S67	4	S66 and (autonegotiat\$4 or (IEEE near2 "802"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 14:13
S68	133	marvel.asn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 14:46

S69	0	(marvel aDJ2 semiconductor).asn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 14:46
S70	24	(marvell aDJ2 semiconductor).asn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 14:47
S71	281	(marvell ).asn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 14:46
S72	12	("5404544"   "5408423"   "5426775"   "5432775"   "5448756"   "5625349"   "5659761"   "5754552"   "5806007"   "5832283"   "5883894"   "5884041").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/28 15:54
S73	15	("5922052"   "6169475"   "6442142"   "6622178").URPN.	USPAT	OR	ON	2005/04/28 16:03
S74	2267	(switch\$4 or alter\$4 or chang\$4 or select\$5 or adapt\$5)near5 (connection near2 configur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 14:10
S75	2379	(switch\$4 or alter\$4 or chang\$4 or select\$5 or adapt\$5 or adjust\$4)near5 (connection near2 configur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 14:27
S76	13	S75 same (((match\$4 or adjust\$4)near3 (connection near2 configur\$5))with second)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 14:36
S77	1	S75 same (((match\$4 or adjust\$4)near3 (connection near2 configur\$5))with ((other or second)adj5 (layer or device)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 14:14

S78	58	(switch\$4 or alter\$4 or chang\$4 or select\$5 or adapt\$5 or adjust\$4)near5 ((sens\$4 or detect\$4 or recogniz\$5 or identif\$5)adj5(connection near2 configur\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 14:38
S79	27	((sens\$4 or detect\$4 or recogniz\$5 or identif\$5)adj5(connection near2 configur\$5))with ((adjust\$4 or alter\$4 or chang\$4 or switch\$4)adj5 configura\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 14:46
S80	8	("6026494" "5884041" "5742833" "5404544").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 14:32
S81	0	((tim\$4 near2 out)near4 ((prior or before)adj3 autonegotiat\$4))same ((power or nergy)near3 (down or sav\$4 or conserv\$4 or off))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 11:36
S82	0	((tim\$4 near2 out)or reset\$4)near4 ((prior or before)adj3 autonegotiat\$4))same ((power or nergy)near3 (down or sav\$4 or conserv\$4 or off))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 11:37
S83	0	((tim\$4 near2 out)or reset\$4)near4 ((prior or before)adj3 autonegotiat\$4))and ((power or nergy)near3 (down or sav\$4 or conserv\$4 or off))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 11:38
S84	0	((tim\$4 near2 out)or reset\$4)near4 ((prior or before)adj3 autonegotiat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 11:38
S85	0	((tim\$4 near2 out)or reset\$4)near4 (autonegotiat\$4 near4 complet\$4))same ((power or nergy)near3 (down or sav\$4 or conserv\$4 or off))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 11:40

S86	1	((tim\$4 near2 out)or reset\$4)near4 (autonegotiat\$4 near4 complet\$4))and ((power or nergy)near3 (down or sav\$4 or conserv\$4 or off))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 12:14
S87	0	((counter or timer)adj5((tim\$4 near2 out)or reset\$4)) with ((before or prior)adj5 (autonegotiat\$4 near4 complet\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 13:33
S88	44	"5121382"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 13:33
S89	2	"5121382".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 13:35
S90	783	switched near2 ethernet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 13:36
S91	26	(switched near2 ethernet)with ((full or half)near2 duplex)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 14:08
S92	1891	(switch\$4 or control\$4)with (connection near2 configuration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 14:10
S93	41	S92 same ((match\$4 or relat\$4 or adjust\$4)near3 configuration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 14:19

S94	39	S92 with ((match\$4 or relat\$4 or adjust\$4)near3 configuration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 14:12
S95	2	S92 same (((match\$4 or adjust\$4)near3 configuration)with second)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 14:20
S96	0	((tim\$3 or counter) near2 (reset or out))with ((before or prior)near3 autonegotiat\$4 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 10:41
S97	0	((tim\$3 or counter) near3 (overflow or reset or out))with ((before or prior)near3 autonegotiat\$4 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 10:41
S98	0	((tim\$3 or counter) adj6 (overflow or reset or out))with ((before or prior)near3 autonegotiat\$4 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 10:41
S99	0	((tim\$3 or counter) near6 (overflow or reset or out))with ((before or prior)near3 autonegotiat\$4 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 10:42
S10 0	4	((tim\$3 or counter) near6 (overflow or reset or out))with (autonegotiat\$4 near3 complet\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 13:54
S10 1	0	((tim\$3 or counter) near6 (overflow or reset or out))with (autonegotiat\$4 near3 complet\$4))same (power near3 (down or off))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 14:33

S10 2	733	(link near3 (lost or los\$3 or drop\$4 or disconnect\$4))near4 (detect\$4 or determin\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 14:15
S10 3	5	S102 with ((power or energy)near4 (down or off or shut\$4 or switch\$4 or turn\$4 or sav\$4 or conserv\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 14:37
S10 4	27	S102 with (timer or counter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 14:38
S10 5	0	S104 same ((power or energy)near4 (down or off or shut\$4 or switch\$4 or turn\$4 or sav\$4 or conserv\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 14:18
S10 6	1	S102 same ((timer or counter)with autonegotiat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 14:32
S10 7	0	S102 with (((tim\$3 or counter) near6 (overflow or reset or out))with (autonegotiat\$4 near3 complet\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 14:34
S10 8	0	S102 same (((tim\$3 or counter) near6 (overflow or reset or out))with (autonegotiat\$4 near3 complet\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 14:36
S10 9	0	S102 and (((tim\$3 or counter) near6 (overflow or reset or out))with (autonegotiat\$4 near3 complet\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 14:36



S11 0	20	S102 same ((power or energy)near4 (down or off or shut\$4 or switch\$4 or turn\$4 or sav\$4 or conserv\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 14:44
S11 1	10	S110 and (timer or counter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 14:39
S11 2	0	(autonegotiat\$4 near5 (tim\$4 near3 out))with ((power or energy)near4 (down or off or shut\$4 or switch\$4 or turn\$4 or sav\$4 or conserv\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:27
S11 3	2	"6625207".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:27
S11 4	1	"6625207".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:28